

"ALWAYS SOMETHING MORE!"



Our strengths





DEVELOPERS PRODUCERS SUPPORT SELLERS In the new R&D center, Modern antistatic 24 hours / 7 days / 360 Personal access to more spaces, 2x fully days we not only prothan 70 sales representamore than 30 engineers automated SMD vide technical support tives in ELKO EP Holding develop new products production lines, but also logistics. provides impeccable and extend the 2 shift operations. services and superior functionality of existing products.

WE ARE

products at an affordable price.


Development · Production · Sellers · Support






Key numbers





We are developers as well as producers






Hi-Tech Technology



LARA – Radio & Music & Intercom



Our Awards





Jiří Konečný The Entrepreneur of the year 2004



Company of the year 2012

Corporate awards



Visionaries 2015

Product awards



Golden product for "SMR-T"



ELA awards for "RF Touch"



The honorable mention for "iNELS RF Control"



ELKO EP Company ranked among the 100 best Czech companies



Global exporter 2016



Jiří Konečný Personality of Smart City 2017



Golden Amper for "wireless electro-installation"



Czech electro association awards for "LARA"



Awards for "Smart RF Box"

Associations Members






Protocols members





iNELS integrate 3rd party devices









OUR QUALITY

Most famous OEM brands proof our quality





Made in Czech Republic



- Contemporary R&D
- In-House production
- Hi-Tech Technology
- Antistatic area





Production tracking system




The Unique Serial Numbers

- Serial numbers are assigned when the product is started up
- Serial numbers are loaded after each operation
- Data is stored on-line for a specific serial number
- Records from data can be loaded at any time
- If the product is in the unprinted state, the serial number is it's only identifier



Quality components inside






- Output relay connected on board
- Power circuits switched power supply
- Power voltage UNI (12... 240 V AC/DC)
- Components mostly SMD

- Simply power supply protecting against voltage fluctuation
- Relay 16 A which is connected on terminals via wire with max current 6 A
- Power voltage 230 V AC
- Components mostly SMD





- Contact AgSnO₂ = resistive, inductive, capacitive load
- 16 A
- Contact is from single material (longer life)
- Mechanical life 3x10⁷
- Electrical life 1x10⁵

- Contact AgNiO₂ = resistive load
- 16 A
- · Contact is flooded (less life)
- Mechanical life 1x10⁷
- Electrical life 7,5x10⁴

Own accredited testing lab



- Certification
- Development tests
- Test of climatic resistance
- Test of dielectric strength, high voltage

- Test of resistance materials: extreme heat, flammability
- Long-term tests
- EMC tests



Product Approvals



EHE

ТАМВЖЕННЫЙ СОЮЗ ССУТИОНКАТ СООТВЕТСТОВИ МТС. RU.C.C.AIT3.B 9025 Сули RU. N. 10.007823 ОРГАН ПО СЕРТИОНКАЦИИ

ОРТАНТЮ СЕРТНОНКАЦИНІ Общетов соршанновой спектенскимскима ТИСРГЕСС. 11508. Кород Москва. Клямонутова или, доку 5, стреметь 1, онея В. Гарбин 4077/27862, даре 3497/27862, дере аметромой почто рудови, піскі дібл.п. Аттеста акоредитавии № РОСС КU.0001.11А72 выдан 66.06.2013 Федеральным агенством по технотесного услуживанию и матрологии.

ЗАЯВИТЕЛЬ. Общество о отранитенный ответственностью "20100 211 (197С"). ОГРИ: 514746317221. Месте нахожазник 15209, прода Москва, учакый Перезликования Паркульско, из С., офок 23, Рессийская Феваралия Фистечений варес: 123047, горам Масква, узяка 4-а Тверская-Висква, дам 3329, подвеля 18, премяй этака, офик 2015 Российская Федаралия. Твероба № 999/9757-124, фева (4699) 97857-14, фева удер самерознования полня ванка/убскор так Российская Федаралия. Твероба № 99/9757-124, фева (4699) 97857-14, фева (469) 97857-14, фева (466) 97857-14, фева (456) 97857-14, фева (466) 97857-14, \phiева (466) 97857-14, \phiева (466) 97857-14, \phiева (466) 97857-14, \phiева (466) 97857-14, \phiева

H3FOTOBHTEAD. *ELKO EP. sr.o. * Mecro нахожаения: Palackeho 492, 769 01 Holelov, Všeniy, Cheh Republic, Чешская Республика. Фактюческий адрес: Palackeho 493, 769 01 Holelov, Všeniy, Cheh Republic, Чешская Республик

IPCOATULES OPEPARENT STREPPORTENERS/INCOMPARENT SUBJECT STREPPORTENENS/INCOMPARENT SUBJECT STREPPORTENENS/INCOMPARENT SUBJECT STREPPORTENENS/INCOMPARENT SUBJECT STREPPORTENENS/INCOMPARENT SUBJECT STREPPORTENENS/INCOMPARENT SUBJECT STREPPORTENCE STREPPORTENCE SUBJECT STREPPORTENCE STREPPORTENCE SUBJECT STREPPORTENCE STREPORTENCE STREPORTENCE STREPORTENCE STREPORTENCE STREPORTENC

KOA TH BƏA TC 8537 10 910 9, 8536 49 000 0, 9032 10 200 0

СООТВЕТСТВУЕТ ТРЕБОВАННЯМ Технического Регламента Такоженного Сооза 004/2011 "О безопсиснетна ипоковольчио оборудовани", ули. Режиние к Комиссии Такоженного сооза 01 базгуста 2011 года № 768; Технические Регламента Такожението Саоза 020/2011 "Электромалителы совесствиость технических средств", ули. Режиние КГС от 9 жилфра 2011 года № 519

АОПОЛНИТЕЛЬНАЯ ИНФОРМАЦИЯ Условяя транспорторовога в картовных коробсах, при влажноста 20-60% бот консленства Условия рамсном в сухов повчешеном, не дануская условий конслексаныя клаги при томпературо от - 20°C зо 50°C. Гарактийный средскей уживания и эку.





100

Contraction of the second				
	A			
	ICON LA POLICE CINE			
	АКРЕДИТОВАН <i>ЫЙ ОР</i> ГАН IЗ СЕРТИФІКАЦІЇ ГАЦІОНА <i>ЛЬКИМ</i> АГЕНТСТВОМ АКРЕДИТАЦІЇ УКРАЇНИ			
CEP	ТИФІКАТ ВІДПОВІДНОСТІ			
аресстровано в Ресстрі- ралотрарова в рессире ОС	OC III NE UA1.10229.000070-18			
ермін ай з 15 лютор расклісник с	о 2018р. до 14 пистого 2019р.			
	солемоїдні для трубопроводія, резервуарія: МРW SS 30 V AC; MPW 58 304-314 238 V AC			
Бановіли вимогим онновляван пробоконня	ДСТУ ЕN 60947-1:2014, р. 4-8; ДСТУ EN 55014-1:2014, р. 4.1.1 табл. 1, ДСТУ СISPR 14-2:2007, р.5; ДСТУ EN 61000-3-2:2015, р.7.4 табл.3, ДСТУ EN 61000- 3-3:2014, р.5			
Беробник просунскії разводника просунки	"Elko Ep, s.r.o.", Palackeho 493, Holesov- Vsetuly, 769 01 Ceska Republika, 23508717, Hexin			
ертифікат якляно іртифікат якляно	ТаОВ «ЕЛКО ЕП УКРАЇНА», Україна, 04116, м. Кнів, вул. Старокиївська, 26, код за ЄДРПОУ 36591722. Довіреність "Elko Ep, s.r.o." (Чекія) від 01.02.2018			
юды ғызықа інформация подманские информация	Сертифікація продукції, що виготовляється сврійно з 15.02.2018 до 14.02.2019 з урахуванням терміну придатності, що вказаний виробником. Технічний нагляд - 1 раз на рік.			
'ертыфікат княлино орга запореалізедае арганов по				
fa підсталі проток По основника агестал	олу випробувань № 18-0052-09 від 14.02.2018 (ВП «ВЦ ЛОРТА», м. Львія, акредитації № 2Н042 від 14.07.2014)			
Lacrymur applications	dependen affine and entities abgenera			
11112011	n)			
Conver.				








L37 58(0+)	19821			
(h			Applicant Salt, No. Agant Sub, No.: Agreement No.: (For Internal UL U	190571-379 5908443821
AGEN	CY AUTHORIZATION NOTIFICAT	ION		1.
Choese a	method to return the completed Agreement:			
Mail to:	Swenaoa, Andres M, 2600 N.W. Lake Rend-	Camas-WA9866	07-United States	
Fax to:	919 547-6021	E-mail w:	industrickporteidere	ulgom
Dear UL	Clest:			
normally	utilities where a UL Listed, Classified or Recogn impreced and/or tested as a part of UL's Follow- uvide UL with the following Agency informat	Up Service.		
EDGAR 11172 EI	DÓ REDUBLO M AVE – RANCHO CUCAMONGA CA 91	750 United States		
EDGAR 11172 EI (Nome of	DÔ REDUBLO M AVE – RANCHO CUCAMONGA CA-91 d Johnso of Agoncy)	730 United States		
EDGAR 11172 EI chome or The cont Name:	DÓ REDUBLO M AVE – RANCHO CUCAMONGA CA 91	Telephone:	+1 (909) 541-8426	
EDGAR 11172 EI (Nome or The cont Name) Fax:	DÓ REDUBLO M AVE RANCHO CUCAMONGA CA 41 d Address of Agency) set person at the Agency is:		+1 (909) 841-8426 mfredublog man.com	
11172 El ghione ar The cont Name: Fas: gPinase p By signir in this Ne compose Applicase	bô REDUBLO MAVE RANCHO CUCAMONGA CA 91 d dahron of Agameyi act person at the Agency in: Ede Realable existée caustry and city codes, if applicable g fisis Netlectarian, we officially worthy UL matte g fisis Netlectarian, we officially worthy UL mat- teriorian with respect to all existing and func- an, produm ur systems, bellion-UJ, Stevica, and Lin a fully automated to ded with the Agence Lin a fully automated to ded with the Agence	Telephonez E-Mail: the Agency identific lifes, projects, and o lor other various in to the extent and s	edredublis@man.com ad above has been softer other activities relating to unters involved in the re- sistion the limitations set	o GU's novestigation of Infonship between UL and the forth in this Notification.
EDGAR 11172 El (home ar The cont Name: Fat: (Phone p By signin in this No compose Applican IN ADDI NOTIFI PRIOR V TO EXE	ob BEDUILO SI AVE EARCHO CUCANDINGA CA. 91 di Jahhron of Agnore) se presente at the Agnory (e. <u>Ed Beldoni</u> egis Mostilerano, se edificitly sostly (), that iffension with respect to il existing end house. U), ia difiy antievente de don with the Agnory ETTON, WE ACREE TO THE TERMS SAFE. CATION AND WARRENT TERY NO ALTON BRITTIN CONSENT. THE UNRERSIGNE. CUCHT THIS NOTIFICIATION ON BUDILI.	Telephoner E-Mail: the Apricey identifi- files, projects, and & the other varies in to the extent and s CONDITIONS OF IT GRATIONS OF IT OF APPLICANT	edredubblogmen.com al above has been sollto dura activities relating to unters involved in the or within the limitations set TF FORTH ON EACH S TEXT HAVE BREEN AND WARRANTS TH L	OLE is investigation of informable between UL and the first in this Notification. PAGE OF THIS MADE WITHOUT UL'S AT SHE IS AUTHORIZED
EDGAR 11172 El (hinne au The cont Name) Fat: (Please p By signin in this Ne compose Applican IN ADDI NOTIFIE PRIOR 1 TO EXE NOTICE	bô REDEBLO SI AVE RANCHO CUCAMONGA CA 91 d Juliero of Againey Leaderson and Againey Editoria and Againey II. Editoria and Againey II. Sector Againey Againey Againey Againey Barris Againey Againey Againey Againey Hong Againey A	Telephone: E-Mail: the Aprice identification files, project, and e lar other various in to the extent and to the extent and to the extent and to the extent and to the extent and the project of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the extent of the the extent of the extent of the extent of the extent of the the extent of the ext	edredubbogmu.cum al above has been suffer data activities relating a unters involved in the re- siting de limitations set T FORTH ON EACH S TEXT HAVE BEEN AND WARRANTS TH C.	OUE investigation of finiteship between UL and the finite in this Notification. PAGE OF THIS MADE WITHOUT OUS IAT SHE IS AUTHORIZED AGENCY ARRANGEMENT
EDGAR 11172 EI (blowe ar The coult Name) Fas: (Plone p By signin in this No asempore Applican IN ADDI NOTIFI PRIOR 1 TO EXE NOTICE INFORM ELKO E	DO REPUTION TAKEN THE ADVANCE AND MALE CALL ADVANCE AND ADVANCE AND ADVANCE AND ADVANCE ADVANCE AND ADVANCE AND ADVANCE AND ADVANCE AND ADVANCE ADVANCE AND ADVANCE AND ADVANCE AND ADVANCE AND ADVANCE ADVANCE AND ADVANCE AND AD	Telephone: E-Mail: the Aprice identification files, project, and e lar other various in to the extent and to the extent and to the extent and to the extent and to the extent and the project of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the extent of the the extent of the extent of the extent of the extent of the the extent of the ext	edredubbogmu.cum al above has been suffer data activities relating a unters involved in the re- siting de limitations set T FORTH ON EACH S TEXT HAVE BEEN AND WARRANTS TH C.	OUE investigation of finiteship between UL and the finite in this Notification. PAGE OF THIS MADE WITHOUT OUS IAT SHE IS AUTHORIZED AGENCY ARRANGEMENT
EDGAR 11172 EI (blowe ar The coult Name) Fas: (Plone p By signin in this No asempore Applican IN ADDI NOTIFI PRIOR 1 TO EXE NOTICE INFORM ELKO E	DO REFUGIO. NAVE: ANY CONCENTRATION OF A NAVE: ANY CONCENTRATION OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE STATE OF A STATE OF A STA	Telephone: E-Mail: the Aprice identification files, project, and e lar other various in to the extent and to the extent and to the extent and to the extent and to the extent and the project of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the the extent of the extent of the extent of the extent of the the extent of the extent of the extent of the extent of the the extent of the ext	edredubbogmu.cum al above has been suffer data activities relating a unters involved in the re- siting de limitations set T FORTH ON EACH S TEXT HAVE BEEN AND WARRANTS TH C.	OUE investigation of finiteship between UL and the finite in this Notification. PAGE OF THIS MADE WITHOUT OUS IAT SHE IS AUTHORIZED AGENCY ARRANGEMENT
EDGAR 11172 EI (blome av The coal Name: Fax: (Please p By signin in this Na asenpose Applicas IN ADDI NOTIFIP PRIOR 1 TO EXE NOTICE INFORM ELKO E (Applicas) PALACI	DO BEREIRO SALVE TALLAND SALVE TAL	Telephone: E-Mail: the Aprice And E Ris, projects, and the other voir and the Aprice Article And State And	edredubbogmu.cum al above has been suffer data activities relating a unters involved in the re- siting de limitations set T FORTH ON EACH S TEXT HAVE BEEN AND WARRANTS TH C.	OUE investigation of finiteship between UL and the finite in this Notification. PAGE OF THIS MADE WITHOUT OUS IAT SHE IS AUTHORIZED AGENCY ARRANGEMENT
EDGAR 11172 EI (blome av The coal Name: Fax: (Please p By signin in this Na asenpose Applicas IN ADDI NOTIFIP PRIOR 1 TO EXE NOTICE INFORM ELKO E (Applicas) PALACI	DATE THAT AND A DATE OF A	Telephone: E-Mail: the Approxy Mendifies, more services, and e law other various a to the extent and 's CONDITIONS SE CONDITIONS OF IT D REPRESENTS. OF APPLICATION AN OTHERCATION S	edredublick mas.cum ad above has been tufting other activities reducing to many transfer and the second second second second second second second S TEXT HAVE BEEN AND WARRANTS TH C. DO COMPLETE THE HALL NOT BE SIGN	ULV weedgaden of hinnings between UL and the finit in BioMedication. PAGE OF THIS MADE WITHOUT ULV MADE WITHOUT ULV AND
EDGAR EDGAR 11172 EI (blone au Name) Fat: (Plone p By signin is thin No compose Applican IN ADDI NOTICI INFORM ELINO E Copplican PRIOR Y Copplican PRIOR Y PRIOR Y Copplican PRIOR Y Copplican PRIOR Y Copplican PRIOR Y Copplican PRIOR Y Copplican PRIOR Y Copplican PRIOR Y Copplican PRIOR Y PRIOR Y Copplican PRIOR Y PRIOR	DO BEREIRO SALVE TALLAND SALVE TAL	Telephone: E-Mail: the Approxy Mendifies, more services, and e law other various a to the extent and 's CONDITIONS SE CONDITIONS OF IT D REPRESENTS. OF APPLICATION AN OTHERCATION S	edredublick mas.cum ad above has been tufting other activities reducing to many transfer and the second second second second second second second S TEXT HAVE BEEN AND WARRANTS TH C. DO COMPLETE THE HALL NOT BE SIGN	OUE investigation of finiteship between UL and the finite in this Notification. PAGE OF THIS MADE WITHOUT OUS IAT SHE IS AUTHORIZED AGENCY ARRANGEMENT
EDCAR (1117) EI Mone an Mone (1117) EI Mone (1117) EI Mone (117) EI Mone (117	Ού ΠΕΡΕΙΤΟΙ ΤΟ ΠΟΛΟΥΤΑΙ ΤΟ	Telephaner E-Mail B-Mail Be, grotect, and Be, project, and Be, project, and CONDITIONS SE RATIONS OF the CONTINUES RATIONS OF CONTINUES AND RATIONS OF CONTINUES RATIONS OF A PHILARM DISTINCTION SE CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES	edredublick mas.cum ad above has been tufting other activities reducing the mains the index of the first same to be a set of the transmission of the same transmission of the transmission STEAT HAVE BEEN AND WARRANTS THE C. DO COMPLETE THE HALL NOT BE SIGNI	ULV weedgaden of hinnings between UL and the finit in BioMedication. PAGE OF THIS MADE WITHOUT ULV MADE WITHOUT ULV AND
EDGAR J EDGAR and J H1172 EJ Johns and Johns and Johns and Johns and Johns and Johns and Johns Johnson Jula Jula Jula Jula Jul	DO DEFENDING SALVE INCOMENSATION OF A DESCRIPTION INFORMATION OF A DESCRIPTION INFORMATION INFO	Telephaner E-Mail B-Mail Be, grotect, and Be, project, and Be, project, and CONDITIONS SE RATIONS OF the CONTINUES RATIONS OF CONTINUES AND RATIONS OF CONTINUES RATIONS OF A PHILARM DISTINCTION SE CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES AND A CONTINUES	edredublick mas.cum ad above has been tufting other activities reducing the mains the index of the first same to be a set of the transmission of the same transmission of the transmission STEAT HAVE BEEN AND WARRANTS THE C. DO COMPLETE THE HALL NOT BE SIGNI	ULV weedgaden of hinnings between UL and the finit in BioMedication. PAGE OF THIS MADE WITHOUT ULV MADE WITHOUT ULV AND

Dimmers Innovations




MOSFET



MOSFET

- Mode On Dimmer or OFF Dimmer (R, L, C)
- Mostly SMD (with power components)
- Maximal use of SMD components (with power components)

Triac



Choke

Triac

- Mode only ON Dimmer (R, L)
- Mostly classic assembly
- Power + protective features lead components





OUR PRODUCTS

Wide portfolio for universal solutions





Timers/Relays

Wireless



HRESK

INELS DALD

Hotel wireless Retrofit (HRESK)


Lighting control

electro-instalation (RF)





Protecting /Monitoring relays





ENERGY MANAGEMENT

INELS IOT

> Energy management

iNELS Air

- IoT devices



- Longan

Building Management System



Switches and sockets





Multimedia



Time relays



Single-function



Single-function time relays



Timing without power supply Two-stage delay unit



Delayed start ^{star/triangle} Asymetric cycler

11 1 M	Come to
	SET AU
I I	
101 999	

Multi-function time relay

Multi-function



Time relay with external potentiometer Time relay to socket



Super-multifunction relay

Time Switch clock





Digital switching clock Switching clock with DCF control Switching clock with astr. program NFC technology for setting

Twilight & Level switches



Twilight switch



Level switch

Auxiliary & Power relays



Auxiliary relays

Protecting & Monitoring relays




Voltage




iNELS RF Control: Wireless electro-installation





iNELS BUS: Wired electro-installations



INELS®

BMS: Building Management System

INELS[®]








iNELS Air: IoT

INELS[®]








OUR SOLUTIONS

Smart Home – What can I control?

INELS[®]



Smart Buildings: BMS


INELS[®]

Building Management System

- It is an integral part of any modern building
- It integrates the different technologies into the building into one unit
- Contemporary buildings focus on energy consumption, safety, quality and healthy work environment

Waste

 iNELS BMS is powered and Full compatible with Honeywell Niagara standards



INELS

For new & existing hotel rooms

- iNELS smart system is ready to fulfil its function of security, clarity and comfort for the guest
- The card, chips or phone access system provides on-line access to the room
- Motion sensors can then be set directly to the home environment
- The clear glass panels at the bed or the central touch panels at the entrance can control everything the guest may want
- Interconnection at the reception and the hotel's service is a matter of course














Safety

Comfort Savings Design






Hospital Solution

INELS®

LARA multimedia unit is also well designed for hospitals that connects five great functions into one product

- Radio player you can simply play favourite radio stations
- Multimedia player to listen music from external sources
- Intercom for communicating between patient and nurse
- Videophone provides closer monitoring of patients
 Audiozone serves for controlling of multimedia in patients room
- SOS Emergency Button that you can place anywhere






Smart City

INELS[®]

- Smart City is tomorrow's place
- It will be at the heart of the revolution and innovative solutions
- It does not offer only the products but also the technology that are the basis of every Smart City
- Smart buildings, urban furniture, air condition monitoring or weather monitoring and environmental aspects






Smart Pole

INELS[®]

- The Smart Pole of iNELS is designed for regular street lighting in any "Street" but in the "City" its options make it an ideal technological oasis
- It also brings additional extensions: air quality monitoring, bicycle rechargers, SOS button, intercom, interactive touch panel
- All technologies are integrated into the Smart City Platform


Charger

Kiosk




Future Office

INELS[®]



iNELS sales policy – product flow



System partner

Customer

Wholesale / retail

INELS®





REFERENCES

Apartments

INELS®





Prague Czech Republic

• Private cinema

Controlling

HVAC

~

 \checkmark

 \checkmark

✓

 \checkmark

• 10 dimmed, 35 switch lights

Realization: iNELS Czech Republic

Appliances control

Lighting / Dimming

Shutters / Blinds

Audio / Video

Appliances switching

Sauna, whirlpool

Prague Czech Republic

- 6 dimmed, 25 switch lights
- Shutters, curtains
- Individual heating control



- ✓ Appliances control
- ✓ Lighting / Dimming
- ✓ Appliances switching
- ✓ Shutters / Blinds
- ✓ HVAC
- ✓ GRMS





Houses

INELS[®]





- 2 floors, garage, sauna and 3 bedrooms
- 15 Dimmable Lighting zones, 8 wireless controllers, phone controlling functionality
- Lighting automation cycles to make lights automatically turn off in the holiday period. 10 scenes

Realization: ELKO EP Export

Controlling

- ✓ Appliances control
- ✓ Lighting / Dimming
- ✓ Appliances switching
- ✓ Shutters / Blinds
- ✓ HVAC
 - Audio / Video

Vilnius Latvia

- Wood passive house
- Ventilation and shielding control
- Camera system



Realization: ELKO EP Export

- ✓ Appliances control
- ✓ Lighting / Dimming
- ✓ Appliances switching
- ✓ Shutters / Blinds
- ✓ HVAC
- ✓ GRMS
- Cameras





Villas

INELS[®]





Dubai UAE

- Garden irrigation
- Home appliance integration

Realization: ELKO EP Middle East

Appliances control

Lighting / Dimming

Shutters / Blinds

Appliances switching

Intercom and LARA

Controlling

HVAC

Cameras

Intercom

Audio / Video Irrigation

~

1

✓

 \checkmark

✓

✓

1

Amman Jordan

- 24 rooms
- HVAC complex control
- LARA, Intercom, Video door phone
- Garden irrigation control



Realization: ELKO EP Export

- ✓ Appliances control
- ✓ Lighting / Dimming
- ✓ Appliances switching
- ✓ Shutters / Blinds
- ✓ HVAC
- ✓ Audio / Video
- ✓ Irrigation



Hotels

INELS®




Kyrenia Cyprus

- 125 rooms
- Complete management
 of hotel rooms
- Scenes: arrival/departure and day/night
- GRMS

Kyrenia Cyprus

- 5-star hotel
- Located close to historical city
 Kyrenia
- The lights are controlled in iNELS system via light panel, USB socket, glass thermostats





Realization: ELKO EP Export

Controlling

- ✓ Appliances control
- ✓ Lighting
- ✓ Shutters / Blinds
- ✓ GRMS
- ✓ Access control system
- Audio / Video

Realization: ELKO EP Export

- ✓ Appliances control
- ✓ Lighting
- ✓ DALI integration
- ✓ Audio / Video



Restaurants & Bars

INELS®



Nicosia Cyprus

- Operation of atmosphere lights
- Lighting scenes
- Promo Video zones

Budapest Hungary

- iNELS BUS System is controlling lighting and terrace-cooling/heating
- High voltage neon signs and lighting control



Realization: ELKO EP Hungary

Controlling

- ✓ Appliances control
- ✓ Lighting / Dimming
- ✓ Automatic scenes
- ✓ HVAC
- ✓ Energy management



Realization: ELKO EP Export

- ✓ Appliances control
- ✓ Lighting / Dimming

Shops & Offices

INELS®





Budapest Hungary

- Jewelry in the heart of Budapest
- Unique jewelry & Forever Mark diamonds

Amman Jordan

- Over 100 offices
- Access and attendance system
- Shading according to sunshine
- A/C OFF when window open



Realization: ELKO EP Export

Controlling

- ✓ Appliances control
- ✓ Lighting / Dimming
- ✓ Automatic scenes
- ✓ HVAC
- ✓ Energy management
- Blinds



Realization: ELKO EP Hungary

- ✓ Appliances control
- Lighting / Dimming
- ✓ DALI integration or DMX integr.
- / HVAC
- Monitoring center

Cinemas & Operas

INELS®



Budapest Hungary

- 6 movie theaters
- DALI control LED matrix (800 lighting fixtures)
- Projection scenes
- Heating and A/C control

Budapest Hungary

- Every additional lighting source is also controlled by iNELS system
- The devices here are controlled by RF Touch
- For switching the RFSA-11B and RFSA-66M is used



Realization: ELKO EP Hungary

Controlling

- Appliances control
- Lighting / Dimming
- ✓ DALI integration or DMX integr.
- ✓ HVAC
- GRMS
- ✓ BMS integration
- Audio / Video

Realization: ELKO EP Hungary

- ✓ Appliances control
- Lighting / Dimming
 DALL integration
- DALI integration or DMX integr.
- ✓ HVAC
- ✓ Monitoring center



Wellness & Fitness

INELS®



Petrovice Czech Republic

- 47 dimming, 63 switching circuits
- Management of 30 m of RGB strips
- Control, ceramic loungers, SPA and swimming pools

Prague Czech Republic

- Comfortable control of the fitness and wellness centre
- Supervision of the operation of saunas and whirlpools



Realization: iNELS Czech Republic

Controlling

- ✓ Appliances control
- ✓ Lighting / Dimming
- ✓ Shutters / Blinds
- ✓ HVAC
- ✓ Monitoring center



Realization: iNELS Czech Republic

- ✓ Appliances control
- Lighting / Dimming
- ✓ DALI integration or DMX integr.
- ✓ HVAC
- Monitoring center

Historical buildings

INELS®






Husinec **Czech Republic**

- Reconstructed in 2015, ٠ now - museum and exhibition
- Exhibit lighting control, scenes ٠
- Control from touch panels •

Thimphu Bhutan

- Lighting control of historical interior sections
- Scenes light according to visitor presence
- Security system



Realization: ELKO EP Export

Controlling

- Appliances control \checkmark
- Lighting / Dimming DALI integration \checkmark
- or DMX integr.
- \checkmark Automatic scenes
- HVAC 1
- GRMS ✓



Realization: iNELS Czech Republic

- Appliances control
- Lighting / Dimming
- ~ Automatic scenes ~
 - HVAC
- \checkmark GRMS ✓
- Monitoring center
- Energy management \checkmark
- Access control

Industry

INELS®



Nošovice Czech Republic

- 736 pcs LED High Bay within retrofitted lighting
- Central control DALI ballast via EDMC
- Control of each zone from the touch panel via app

Realization: iNELS Czech Republic

Appliances control

Lighting / Dimming DALI integration

Automatic scenes

Monitoring center

Energy management

or DMX integr.

Controlling

~

~

~

 \checkmark

Brno Czech Republic

- 14 showrooms, 40 offices
- 200 dimming lights circuits DALI control of 45 circuits
- in the training room
- iNELS Multimedia

Realization: iNELS Czech Republic

- ✓ Appliances control
- ✓ Lighting / Dimming✓ DALI integration
- or DMX integr.✓ Automatic scene
- ✓ Automatic scenes✓ HVAC
- ✓ GRMS
- ✓ Monitoring center
- ✓ Energy management
- Audio / Video
- ✓ Blinds
- ✓ Access control





Showrooms

INELS[®]





Moscow Russia

- LED tray lighting control according to the outside twilight
- Fire system
- Security: detectors, cameras

Realization: ELKO EP Russia

Controlling

- ✓ Appliances control
- ✓ Lighting / Dimming
- ✓ DALI integration or DMX integr.
- ✓ Automatic scenes
- ✓ HVAC
- ✓ GRMS
- ✓ Monitoring center
 - Access control

Dubai UAE

• Lighting control in cooperation with Preciosa Lighting




- ✓ Appliances control
- Lighting / Dimming
 DALI integration
- or DMX integr.
- ✓ Automatic scenes
- ✓ HVAC
- ✓ GRMS





Smart Street Lighting





Smart Street Lighting






Location: Holešov, Czech Republic

Place of the instalation: ELKO EP Holding














OUR SUPPORT

iNELS Academy - Regularly Trainings





Project support



Consultant


Design

Realization support on site



Customization





Brand labeling


















Apps as you like




















Technical & Online Support






Customer's Questions in Ticket system








Partners Section







Case study

4 0 **0** 0

add barrer barrer add barrer add With the second sec


Cross reference charts



News

INELS

Presentations




Marketing HUB



BrandCloud

- Central storage of all marketing's and other support's materials
- Logos, logo manuals, advertisements, banners, prints, products photos, photos from exhibitions and other events ...
- Ask for access






- **API** command description for free
- **ASCII** communication with 3rd parties directly from CU3s iNELS
- **XMLRPC** communication between ConnectionServer and applications
- **ElkoNET** communication between ConnectionServer and CU3s iNELS
- **Promotic** Scada vizualization
- **Niagara** BMS systems, PMS systems, Dashboards




Cloud

















Well fit stock





B2B portal



With on-line access to production system

ELRO	Hiedaný text Q Conta	ict 😽 🤤 (0/0.00 CZK) Registration enter 🙎	
6 800 100 671 - ONLINE	A / RF Control> Wireless control / system	components		MAR MAR
RELAY> Electronic Devices •	B2B ELKO EP		× 19 9 • 💷 💷	
F Control> Wireless control •	50 ks availibility: immedia 96 ks availibility: 18.11.20	itely	1 2 3 >	
system components *	378 ks availibility: on requ	uest	-11	
RF Touch			icq	Charles and the second s
Switches		a 31 a		Julia
dimmers	eLAN-RF-003	eLAN-RF-wireless 003_2,4GHz	RFGSM-220M	
Lighting	Smart RF box	Smart RF box with WiFi	Multifunction GSM communicator	
temperature regulation				
monitoring elements	1 Detail	1 Detail	1 Detail	
RF Sets	4110 CZK stock	5140 CZK stock	5140 CZK stock	inels inels
Application				
Accessories				
MART SET -	ore to a		ure 6 E	
ergy Measurement •	RF Touch-B	RF Touch-B	RF Touch-B_červená /	
UDIO / VIDEO -	Touch control unit, in-wall	Touch control unit, in-wall	Touch control unit, in-wall	






MARKETING SUPPORT

Meet us in exhibitions






On-line tools



<u>LARA</u>



On-line configurator



1. Installation type



3. What to control




5. Summary

Summary	💌 🔺 🖨 Print
Common system units	
Common system units	1884,20 €
Temperature control	
El. underfloor	691.60 €
Fancoil	327.00 €
Ventilation	
Recuperation	137,08 €
Air conditioning	137,08 €
Multimedia	
Video	0.00€
Monitoring	
Carneras	94,40 €
Shading	
Shutters	700,50 €
Total price:	3 971,86 € ①
This price offer is only approximate, we will determine the exact	price based on the individual requirements and the way of connection
Start again	Save report
Add another device	Send an order

2. Object




4. How to control



General catalogues





Wireless (RF) electro-installations Wired (BUS) electro-installations Hospitality solutions

Lighting control iNELS Air

Technical catalogues





Smart wireless electro-installation

Intelligent Electro-installation Modular electronic devices Home switches and sockets

Product overview

Displayboards



Choose from "Live presentation" <u>Click HERE</u>



Suitcases for your training



iNELS BUS





iNELS RF








iNELS BUS (GRMS)





Suitcases for your training









Cross references

<u>Relay</u>

En		Time relays											
CROSS-REF	Multifunction time relay, power supply 230V, output 1x16A	Multifunction time relay with external control, power supply 12 - 240 V AC/DC, output 2x184	Multifuction time relay, 10 functions, power supply 12- 240 V AC/DC, output 3x8A	Multifunction time relay with contact- free output, power supply 12 - 240 V AC/DC, output 0.7A	Time relay, asymmetric cycler (external control), power supply 12- 240 V AC/DC, output IuldA	Delay ON star/deta relay, power supply 12- 240 V AZ/DC, output 2x16A	Delay off without suppy votage, output 2x8A, power suppy 12- 2AO V AC/DC, output 2x8A	Programmable digital relay, 16 digital relay, 16					
Company	Type	CRM-91H	CRM-91HE	CRM-93H	CRM-95	CRM-2H/HE	CRM-2T	CRM-82TO	PDR-2				
455			ii ii										
Alien Bradley			1										
	MRU1W	-	•	•		•	•						
	AVU1W	*						18.1					
	RVU1W						•						
ABL	TIUIW	*					•						
ADL	D2201						•						
	D2302												
	TZA2301												
ABL Sursum													
Aistom		8											
BMR		1											
STR NETCOM		8											
Carlo Gavazzi		8											
Crouzet		1											
Cornat													
Eberie													
Eltako		1	diama di seconda di se										
Finder						-			-				
DOLD			1										
121													
Hager													



	Switching		Dimming		Heating		Detectors/Security											477				-		
Hanufacturer	Bee	Socket	Bex	Socket	808 Bulta	HVAC	Dectric	Water	Notion		Water		Twilight		Energy	Intercom	Multi-Device	Touch control unit	105	Android	Communication	HUB	SMART KIN	Communi freque
		θ		θ	9	IIII	4	۵	秀		4	ŵ	Ϋ́.	Ð	\odot		0	4	Ű.		G	<u> </u>	-	-W
ELKO																					8614	A.41.07.024		100,100 /002.0
Schreider	1	1	1				1		1			1.1	1		1	1	1	1.1	1	1	Fighter			1.4.5
SIEMENS						1			1								1	1			abox 207	Table and the		-
DED																								
HEB							1														propriations	-		
666ake									-								1				D-Outer-			No specify
enitar						1.0	1.0		1.0			1.0						1.1	1		proprietary	P1.75.9		
hager																								898,3 7
Kopp		1	1	1					1	1.0		1	1.1					1			propriatory			80.0
F:T-N																								
піко		-		1.1		1	1			1.0							1	1.1	1		proprietary	Alles Status Cardeni		868,3 *
12421																								
securie		1		1.1			1					1.1	1.1					1	1.1		2-Non-2-pine	States		108 7542
C myfax																								
LOXONE						1.0	1.0		1.0								-	1.1			104	Miniserandia		The space of
: belkin																								
PHILIPS																					Typine			2.4.5
197 FIEARO																								
Diegrand									1.0								1.1	1.1						2.4.04
ELAN																								
1 H S T C 0 K																								
O Smoot Trings																								
vivint.							1		1								1.0	1			2-Wase	Mater Bay		900.0
SAVADE																								
OLUTRON.																								94.9
wink																								
irs		1	1.0	1.0		1	1		1								1.1	1.0	1			11.10		900 MHJ.
LEVITOR.																								
zipato I		-	1.	1.0	1				1	1		1.0	1.0				1	1.0	1		2-West	prostorution		24.9
nest																								
elgato		1	1.0	1.0	1.0		1.0			1		1.0	1.0				1.0	1.0	1	1.0	Batter			3.404
TELLDUS®																								
essence										1	1	1		1					1	1			1	

<u>BUS</u>

Kove S				Ego-n®	pt
GENERAL INFORMATION					
Manufactu	W ALBRECHT JUNG GMBH & CO. KG	MDT technologies GmbH	Trump Electronics S.A.	ABB s.r.o., Elektro-Praga	BPT Sea a Socie Unico
Manufacturer's webs	te www.jutg.de/	http://www.mdt.dk/EN_Start.html	www.domintell.com	www.enika.ct	http://www.bpt.it/an/ita
System webs	te http://www.jung.de/en/623/products/technolo gy/	http://www.mdt.de/Thi Downloads.html	http://www.omays.cz/cze/sutomaticsce- budov/system-domintel/	http://www117.abb.com/index.asp ³ thema=97 45	http://www.tpt.t/en/ta/home.jp?/drub+
Purpose of syste	m large-scale commercial applications	residential and commercial applications	residential applications	residential applications	residential applications
			medium commercial applications		
BUS DATA					
Bus ty	DF EIBINOX	EIB/KNX	RS485	KNOVEIB	LONWorks
Topolo		line, star, tree	free	line	free
Number of bus lin		2	6	4	2
Bus por		30V DC	12VDC		20V DC
Type of syste		centralized	decentralized	centralized	centralized
Bus lengtt max.		1020	1600	700	1000
Number of lines m				8	10
Number of units on the bus m		64		64	40 (80)
Max. number of un		258		512	200
Method expansion b	us adding a line (via the separator)	master expansion modules			1
EXTERNAL COMMUNICATION					
Ether		yes	yes (DETH02)	yes, in comunication module (3270- C16200)	yes
R\$232/R\$4		00	yes (DR\$23201, DR\$23202)	ne	R9 422
	IR yes	no	yes eg. DDIR02	no	
U		00	yes (DUSB01)	no	
G	M yes		yes (DOSAI01)	yes (3270-C18500)	
websen	er ro	yes	yes (DETH03)	yes, in comunication module (3270- C16200)	
INITS					
Switch	ng 11x module 3x box		2x module	4x module 1x box	
Dimmi	dimming R, L, C loads + LED		4x module	bubs, halogens 1x module	
Linna	-			0.000	
Conversi			2x module	1x module	
Jalou	lie 5x module 1x bex		1x module	Tx module	
Touch Par	le/ yes		y#5	no	
ETTING / PROGRAMMING					
How to set (parameterization	n)		\$W	button and SW	
Softwa			295	Ego-n asistent	
Software pr			free	HIGHORE OIL RECEIVE III OVE DRIVER	
Vizualizat					
Other softwa	ire .				

Sources are in XLS





PHONE +420 573 514 242



E-MAIL elko@elkoep.com



WEB www.elkoep.com

www.elkoep.com